



## Batteries - Hobby

Hump, flat, stick packs. E-Sky, Fully Max, Dualsky, RC Revolution, Venom. Some have Tamiya or Deans Connectors.  
Rechargeable Li-Po, Ni-Mh, Ni-Cd.

### Batteries - Hobby

Part Number	Power	Type	Life mAh	Brand	Style	Info
BALBATD15	1.5V	Kickstart Dry Cell		Ballistic Models	For your glow plug lead	
# VEN-1519	1.5V	NiMH Rechargeable AA	1200	Venom	Pack of 4	
# RCBATAA2500	1.5V	NiMH Rechargeable AA	2500	RC Revolution	Pack of 4	
# RCBATAA2200A	1.5V	NiMH Rechargeable AA	2200	RC Revolution	Pack of 4	
# RCBATAA2200	1.5V	NiMH Rechargeable AA	2200	RC Revolution	Pack of 4	
# FM41001CELL	3.7V	Li-Po	4100			Discharge Rate: 13C, Max Charge Rate: 52A
# HBAT4X1000AC	4.8V	Ni-Mh	1000 x 4		A Cell Flat Pack	With JST Connection
# HBAT4X2000AAC	4.8V	Ni-Mh	2000 x 4		AA Cell Flat Pack	With JR Connection
# HBAT4X700AAC	4.8V	Ni-Cd	700 x 4		AA Cell Flat Pack	With JR Connection
# HBAT5X1000AC	6.0V	Ni-Mh	1000 x 5		A Cell Flat Pack	With JST Connection

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**

## Batteries - Hobby

Part Number	Power	Type	Life mAh	Brand	Style	Info
# RCBAT6V140H	6.0V	Ni-Mh	1400	RC Revolution	Hump Pack	With Tamiya Connectors
RCBAT6V140F	6.0V	Ni-Mh	1400	RC Revolution	Flat Pack	With Tamiya Connectors
RCBAT6SC300H	7.2V	Ni-Mh	3000	RC Revolution	Stick Pack	With Tamiya Connector
# VEN-1530	7.2V	Ni-Cd	1800	Venom		
RCBAT6SC450H	7.2V	Ni-Mh	4500	RC Revolution	Stick Pack	With Tamiya Connector
RCBAT6SC420H	7.2V	Ni-Mh	4200	RC Revolution	Stick Pack	With Tamiya Connector
RCBAT6SC380HH	7.2V	Ni-Mh	3800	RC Revolution	High Discharge Stick Pack	With Tamiya Connector
# VEN-1532	7.2V	Ni-Mh	3000	Venom	Battery Pack	
# RCBAT6SC300HA	7.2V	Ni-Mh	3000	RC Revolution	Stick Pack	
RCBAT6SC400H	7.2V	Ni-Mh	4000	RC Revolution	Stick Pack	With Tamiya Connector
# RCBAT6SC240H	7.2V	Ni-Mh	2400	RC Revolution	Stick Pack	With Tamiya Connector
RCBAT6SC180	7.2V	Ni-Cd	1800	RC Revolution	Stick Pack	With Tamiya Connector
# BALBAT1700B	7.2V	Ni-Cd	1700	Ballistic Models	With Tamiya Connection	
# 0A258074	7.2V	Ni-Cd	600			
RCBAT6SC330H	7.2V	NiMh	3300	RC Revolution	Stick Pack	With Tamiya Connector
VEN-1548	7.2V	Ni-Mh	5000	Venom	Battery Pack	
# VEN-1544	7.2V	Ni-Mh	3600	Venom	Battery Pack	
# VEN-1538	7.2V	Ni-Mh	800	Venom	6 Cell Flight Pack	
# BALBAT1400A	7.2V	Ni-Cd	1400	Ballistic Models		With Tamiya Connector
# BALBAT1700	7.2V	Ni-Cd	1700	Ballistic Models	With Tamiya Connection	
# VEN-1546	7.2V	Ni-Mh	4200	Venom	Battery Pack	
# VEN-1547	7.2V	Ni-Mh	4600	Venom	Battery Pack	
# BALBAT1700A	7.2V	Ni-Cd	1700	Ballistic Models	With Tamiya Connection	
RCBAT6SC360H	7.2V	Ni-Mh	3600	RC Revolution	Stick Pack	With Tamiya Connector

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**

## Batteries - Hobby

Part Number	Power	Type	Life mAh	Brand	Style	Info
# BALBAT1700A1	7.2V	Ni-Cd	1700	Ballistic Models	With Tamiya Connection	
# 0A258075	7.2V	Ni-Cd	1100			
# BALBAT1400	7.2V	Ni-Cd	1400	Ballistic Models		With Tamiya Connector
# FB1000XP2S	7.4V	Li-Po	1000	Fully Max		Discharge Rate: 25C, Max Charge Rate: 25A
# FM22502CELL	7.4V	Li-Po	2250			Discharge Rate: 16C, Max Charge Rate: 35.2A
DSBXP40002TF	7.4V	Li-Po	4000	Dual Sky		
# FM10502CELL	7.4V	Li-Po	1050			20C, 20A
DSBXP54002TF	7.4V	Li-Po	5400	Dual Sky		
# FM17002CELL	7.4V	Li-Po	1700			Discharge Rate: 20C, Max Charge Rate: 34A
# FB1300XP2S	7.4V	Li-Po	1300	Fully Max		Discharge Rate: 25C, Max Charge Rate: 32.5A
# FB850XP2S	7.4V	Li-Po	850	Fully Max		Discharge Rate: 25C, Max Charge Rate: 21.3A
# FB1800XP2S	7.4V	Li-Po	1800	Fully Max		Discharge Rate: 25C, Max Charge Rate: 45A
# FB2200XP2S	7.4V	Li-Po	2200	Fully Max		Discharge Rate: 25C, Max Charge Rate: 55A
# FB5300XP2S	7.4V	Li-Po	5300	Fully Max		Discharge Rate: 22C, Max Charge Rate: 116A
# FB3300XP2S	7.4V	Li-Po	3300	Fully Max		Discharge Rate: 22C, Max Charge Rate: 72.6A
# FB3700XP2S	7.4V	Li-Po	3700	Fully Max		Discharge Rate: 22C, Max Charge Rate: 81.4A
# FB4500XP2S	7.4V	Li-Po	4500	Fully Max		Discharge Rate: 22C, Max Charge Rate: 99A
# FM13502CELL	7.4V	Li-Po	1350			Discharge Rate: 20C, Max Charge Rate: 26A

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**

## Batteries - Hobby

Part Number	Power	Type	Life mAh	Brand	Style	Info
# FM33002CELL	7.4V	Li-Po	3300			Discharge Rate: 15C, Max Charge Rate: 48A
# VEN-1555HV	7.4V	Li-Po	5000	Venom		With Venom High Volt Plug, Discharge Rate : 20C
# VEN-1555T	7.4V	Li-Po	5000	Venom		With Traxxas Plug, Discharge Rate : 20C
# VEN-1559	7.4V	Li-Po	1600	Venom	Rx Pack	Discharge Rate: 10C
# VEN-1560	7.4V	Li-Po	1200	Venom	Rx Pack	Discharge Rate: 10C
# VEN-1564	7.4V	Li-Po	2200	Venom	Battery Pack	Discharge Rate: 15C
# FM7402CELL	7.4V	Li-Po	740			Discharge Rate: 20C, Max Charge Rate: 14.4A
# VEN-1565	7.4V	Li-Po	3200	Venom	Battery Pack	Discharge Rate: 15C
# VEN-1569	7.4V	Li-Po	1250	Venom	Battery Pack	Discharge Rate: 20C
# VEN-1570	7.4V	Li-Po	1550	Venom	Battery Pack	Discharge Rate: 20C
# VEN-1571	7.4V	Li-Po	1800	Venom	Battery Pack	Discharge Rate: 20C
# VEN-1572	7.4V	Li-Po	2100	Venom	Battery Pack	Discharge Rate: 20C
# VEN-1568	7.4V	Li-Po	800	Venom	Battery Pack	Discharge Rate: 20C
0EK1-0181	7.4V	Li-Po	800	E-Sky	2 Cell Compact 10C Discharge Rate, Max Charge Rate 0.8A	For Lama 3 Helicopter
# VEN-1527-7T	8.4V	Ni-Mh	5000	Venom	Flat Battery	TRX Plug
# VEN-1526-7T	8.4V	Ni-Mh	4200	Venom	Flat Battery	TRX Plug
# BALBAT2400	8.4V	Ni-Mh	2400	Ballistic Models		With Tamiya Connection
# VEN-1525-7T	8.4V	Ni-Mh	3000	Venom	Flat Battery	TRX Plug
# BALBAT2400A	8.4V	Ni-Mh	2400	Ballistic Models		With Tamiya Connection
# BALBAT01700	9.6V	Ni-Cd	1700	Ballistic Models	With Deans Connection	

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**

## Batteries - Hobby

Part Number	Power	Type	Life mAh	Brand	Style	Info
# FB2200XP3S	11.1V	Li-Po	2200	Fully Max		Discharge Rate: 25C, Max Charge Rate: 55A
# FB1300XP3S	11.1V	Li-Po	1300	Fully Max		Discharge Rate: 25C, Max Charge Rate: 32.5A
# FB3300XP3S	11.1V	Li-Po	3300	Fully Max		Discharge Rate: 22C, Max Charge Rate: 72.6A
# FB1000XP3S	11.1V	Li-Po	1000	Fully Max		Discharge Rate: 25C, Max Charge Rate: 25A
# FB3700XP3S	11.1V	Li-Po	3700	Fully Max		Discharge Rate: 25C, Max Charge Rate: 81.4A
# FB1800XP3S	11.1V	Li-Po	1800	Fully Max		Discharge Rate: 25C, Max Charge Rate: 45A
# VEN-1566	11.1V	Li-Po	2200	Venom		Discharge Rate: 15C
# FM22503CELL	11.1V	Li-Po	2250			Discharge Rate: 16C, Max Charge Rate: 35.2A
# FM41003CELL	11.1V	Li-Po	4100			Discharge Rate: 13C, Max Charge Rate: 52A
# FM7403CELL	11.1V	Li-Po	740			Discharge Rate: 20C, Max Charge Rate: 14.4A
# FM33003CELL	11.1V	Li-Po	3300			Discharge Rate: 15C, Max Charge Rate: 48A
# FM17003CELL	11.1V	Li-Po	1700			Discharge Rate: 20C, Max Charge Rate: 34A
# FM13503CELL	11.1V	Li-Po	1350			Discharge Rate: 20C, Max Charge Rate: 26A
# FM10503CELL	11.1V	Li-Po	1050			20C, 20A
# FB850XP3S	11.1V	Li-Po	850	Fully Max		Discharge Rate: 25C, Max Charge Rate: 21.3A
# VEN-1581T	11.1V	Li-Po	5400	Venom		With TRX Plug, Discharge Rate : 20C
# VEN-1567	11.1V	Li-Po	3200	Venom		Discharge Rate: 15C

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**

## Batteries - Hobby

Part Number	Power	Type	Life mAh	Brand	Style	Info
# FB5300XP3S	11.1V	Li-Po	5300	Fully Max		Discharge Rate: 22C, Max Charge Rate: 116A
# VEN-1573	11.1V	Li-Po	800	Venom		Discharge Rate: 20C
# VEN-1574	11.1V	Li-Po	1250	Venom		Discharge Rate: 20C
# VEN-1575	11.1V	Li-Po	1150	Venom		Discharge Rate: 20C
# VEN-1576	11.1V	Li-Po	1800	Venom		Discharge Rate: 20C
# VEN-1577	11.1V	Li-Po	2100	Venom		Discharge Rate: 20C
# FB4500XP3S	11.1V	Li-Po	4500	Fully Max		Discharge Rate: 22C, Max Charge Rate: 99A
# VEN-1580T	11.1V	Li-Po	4000	Venom		With TRX Plug, Discharge Rate : 20C
# FPEV025-37003S	11.1V	Li-Po	3700	Flight Power		Great with the 8ight Losi Buggy for fastest speeds
# BATS4andCHGR	12.0V	Gel Cell	7Ah		7Ah	With Charger
# BATS	12.0V	Gel Cell	7Ah			With Charger
# BATS4andCHGR-A	12.0V	Gel Cell	7Ah		7Ah	With Charger
BATS4CHGR	12.0V	Gel Cell	7Ah			With Charger
# BATS4CHGR-A	12.0V	Gel Cell	7Ah			With Charger
# BATS4CHGR1	12.0V	Gel Cell	7Ah			With Charger
# FM41004CELL	14.8V	Li-Po	4100			Discharge Rate: 13C, Max Charge Rate: 52A
# FB3700XP4S	14.8V	Li-Po	3700	Fully Max		Discharge Rate: 22C, Max Charge Rate: 81.4A
# FB5300XP4S	14.8V	Li-Po	5300	Fully Max		Discharge Rate: 22C, Max Charge Rate: 116A
# FB2200XP4S	14.8V	Li-Po	2200	Fully Max		
# FB4500XP4S	14.8V	Li-Po	4500	Fully Max		Discharge Rate: 22C, Max Charge Rate: 99A

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**

## Batteries - Hobby

Part Number	Power	Type	Life mAh	Brand	Style	Info
# FB3300XP4S	14.8V	Li-Po	3300	Fully Max		Discharge Rate: 22C, Max Charge Rate: 72.6A
# FB5300XP5S	18.5V	Li-Po	5300	Fully Max		Discharge Rate: 22C, Max Charge Rate: 116A
# FB2200XP5S	18.5V	Li-Po	2200	Fully Max		Discharge Rate: 25C, Max Charge Rate: 55A
# FB4500XP5S	18.5V	Li-Po	4500	Fully Max		Discharge Rate: 22C, Max Charge Rate: 99A
# FB3700XP5S	18.5V	Li-Po	3700	Fully Max		Discharge Rate: 22C, Max Charge Rate: 81.4A
# FB5300XP6S	22.2V	Li-Po	5300	Fully Max		Discharge Rate: 22C, Max Charge Rate: 116A

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY



**H.E. Supplies Pty Ltd**

**Hobby Supplies  
Engineering Supplies**



ABN 54 125 001 541

Phone: 07 3216 8166 Fax: 07 3349 1400 <http://www.hobbyparts.com.au/>

**SDPSI**  
Stock Line Products/Selling Instrument



**GRW**

**JJK**



**DualVee**  
Bishop-Wisecarver Corp.

ANOTHER QUALITY PRODUCT BY  
**MOYTEC**  
motors



myonic  
solutions in microspace

**ondrives**

**Origin**  
BEARING

**rino**

**RMB**

**WIB**



**SOLARBOTICS**

**THOMSON**

**inox**  
Quality Products

**KSK**  
BALL BEARING